

# Mineral Industry Surveys

For information, contact:
Peter H. Kuck, Nickel Commodity Specialist
U.S. Geological Survey
989 National Center
Reston, VA 20192

Telephone: (703) 648-4965, Fax: (703) 648-7757

E-mail: pkuck@usgs.gov

Barbara J. McNair (Data) Telephone: (703) 648-7952 Fax: (703) 648-7975

MINES FaxBack: (703) 648-4999

Internet: http://minerals.usgs.gov/minerals

## **NICKEL IN JUNE 1999**

In June, reported domestic nickel consumption on a daily average basis was 5% greater than that of May, according to the U.S. Geological Survey. Average daily consumption by the stainless steel industry in June was 14% higher than that of the revised May average of 137 metric tons (t). Daily consumption by alloy steel producers—aconsiderably smaller tonnage than that of stainless steel—also increased by 14%. Sales to plating companies averaged 40 metric tons per day (t/d), up 8% from the May sales figure of 37 t/d. However, these increases were partially offset by decreased consumption of elemental nickel to make superalloys, nickel-base corrosion resistant alloys, and copper-nickel alloys. Percentages reported in this paragraph may not be verifiable owing to concealment of individual company proprietary data.

On June 30, U.S. consumer stocks of cathode, pellets, briquets, and powder totaled 3,830 t—6% more than the 3,600 t (revised) for May 31 but still 39% less than the 1998 high of 6,330 t (revised) reached on December 31, 1998. Stocks in London Metal Exchange (LME) warehouses worldwide decreased 8% during June to 52,836 t. LME stocks at yearend 1998 were 65,964 t. Preliminary data collected by the International Nickel Study Group indicated that, at the end of May, world nickel producers (excluding those in Austria, China, the former Yugoslavia, and the Ural area of Russia) had approximately 103,500 t of Ni in primary products in stock, of which 76,600 t were Class Imaterials. Class I materials are refined products with a nickel content of 99% or greater (electrolytic cathode, pellets, briquets, rondelles, powder, etc.). Class II materials include ferronickel, nickel oxide sinter, and East Asian utility nickel—products with a nickel content less than 99%.

The United States imported 55,000 t of primary nickel during the first 5 months of 1999, 22% less than the tonnage for the corresponding period of 1998. Class I materials accounted for 85% of total primary imports received during the first 5 months of 1999. Trade data for June 1999 will appear in a subsequent issue.

Nickel exploration in Canada—An update [Part 2 of 2] (Part 1 appeared in "Nickel in May 1999.")

Lac Rocher, Quebec.—Donner Minerals Limited has a C\$1 million exploration program underway in the Lac Rocher area of northwestern Quebec. Lac Rocher is roughly 230 kilometers southeast of the southern tip of James Bay and about 40 kilometers southeast of Lac Evans. The nearest town of any size is Matagami, 120 kilometers to the southwest. Donner is conducting the bulk of its field work on ground optioned from Falconbridge Limited and Noranda Inc. (Donner Minerals Limited, 1999c). The field work consists of geologic mapping, prospecting, airborne and ground geophysical surveying, and diamond drilling. Helicopter-borne electromagnetic and magnetic surveys have now been completed over all of the optioned claims. A portion of the area was previously surveyed by the Canadian Government. Several geophysical anomalies initially identified by the Government have been resurveyed in detail by Donner. The company is planning to diamond drill key anomalies that cannot be explained by ground investigations.

Exploration activity in the Lac Rocher area soared after Nuinsco Resources Limited announced last January that one of its drilling crews had intersected a 61.5-meter-thick zone of disseminated and massive sulfides, assaying 1.69% Ni and 0.49% Cu. (See Nickel in December 1998.) The assays also revealed significant cobalt, palladium, and platinum values. The intersection included a 3.2-meter interval of sulfides assaying 10.8% Ni. Six months prior to Nuinsco's discovery, Falconbridge completed a regional compilation of geologic, airborne magnetic, electromagnetic, and lake sediment geochemical data. Possession of this information allowed Falconbridge to identify and stake several promising targets immediately after Nuinsco announced the assays from its discovery hole, LR-1-99.

In February, Donner entered into an agreement with Falconbridge. Donner now has an option to earn a 50% interest

in 24 claim blocks (511 claims on 8,176 hectares) previously staked by Falconbridge. Three of Falconbridge's 24 claim blocks are contiguous to the eastern and southern sides of the Nuinsco property. To earn the 50% interest, Donner must spend C\$2 million exploring the claims over the next 2 years (Donner Minerals Limited, 1999a). Donner also signed a joint agreement with Noranda and Falconbridge a month later. This second agreement gave Donner options on 1,100 claims acquired by Noranda in the Lac Rocher area. The 1,100 claims cover 17,000 hectares (Donner Minerals Limited, 1999b). Noranda, which owns 49.9% of Falconbridge's common stock, has been mining zinc and copper in the Matagami district for more than 20 years.

The assay results from subsequent holes drilled by Nuinsco were not as good as expected. However, drill hole 99-34 did intersect 8.2 meters of mineralization grading 1.89% Ni and 0.58% Cu (Northern Miner, 1999a). Nuinsco has identified at least 23 targets for future drill testing (Northern Miner, 1999c). In July, Nuinsco optioned 144 claims held by Freewest Resources Canada Inc. (Northern Miner, 1999b).

Raglan district, Quebec.—In April 1998, the Raglan mining and milling complex reached commercial production. The new nickel-copper mine is in the Nunavik region of northern Quebec—near Katinniq, at the tip of the Ungava Peninsula. Raglan has an annual rated capacity of 21,000 t of nickel in concentrate but reportedly can be expanded to 30,000 t per year if market conditions warrant (Falconbridge Limited, 1999). In 1998, Raglan recovered 636,000 t of ore averaging 3.14% Ni and 0.96% Cu. This included pre-production material and equated to a mine production figure of 16,400 tons of Ni in concentrate.

In 1998, Falconbridge discovered a new deposit at East Lake, 13.5 kilometers west of the Katinniq concentrator. According to company officials, a minimum of 1.15 million t of indicated resources have been delineated at East Lake. The newly discovered resources grade 3.71% Ni, 1.09% Cu, and 0.08% Co (Falconbridge Limited, 1999). At yearend 1998, Raglan had 19.4 million t of proven and probable reserves, averaging 2.85 % Ni and 0.77% Cu. In addition to the reserves, Raglan had 5.25 million t of indicated and inferred resources averaging 2.27% Ni and 0.82% Cu. All of the ores occur in the northeastern part of the Cape Smith fold belt. The fold belt extends across the entire width of the Ungava Peninsula—from Cape Smith on Hudson Bay to Kangiqsujuaq—and has been a nickel exploration target for more than 30 years. The fold belt is also referred to as the Ungava Nickel Belt.

*Canmine projects in Manitoba.*—In 1996-97, the Geological Survey of Canada published new aeromagnetic maps suggesting that a magnetic lineament at the northern end of the Thompson

Nickel Belt of Manitoba continues northeast toward Cape Churchill. At least 18 significant nickel deposits already have been discovered along the Thompson Nickel Belt, which extends from Willam Lake more than 200 kilometers northeast to Moak. Some geologists have suggested that this newly identified lineament could connect with the Ungava Nickel Belt on the east side of Hudson Bay. Both the Thompson and Ungava nickel belts are located at the boundary of the Churchill and Superior Geologic Provinces and have a number of geologic similarities (Canmine Resources Corp., 1999).

To test this theory, Canmine Resources Corp. acquired more than 2,000 square kilometers of claims northeast and west of the Thompson Nickel Belt. In the winter of 1998, Canmine crews drilled a promising geophysical anomaly at Osik Lake, some 70 kilometers west of Thompson. The anomaly turned out to be a large peridotite body with a background nickel content of 0.22% Ni. The company plans to drill more magnetic anomalies along the lineament. The drilling program is part of Canmine's BINCO nickel project.

Canmine has a second project underway in Manitoba. In 1996, the company acquired the Maskwa property, 120 kilometers northeast of Winnipeg. In May 1998, Canmine filed an initial proposal with Environment Manitoba to construct a C\$20 million mine at Maskwa. The environmental review process typically takes 9 to 18 months. According to company officials, the main deposit at Maskwa has 2.93 million t of indicated resources grading 1.27% Ni, 0.21% Cu, and 0.04% Co.

#### **References Cited**

Canmine Resources Corporation, 1999, Mining & exploration—Project portfolio: London, Ontario, Canmine Resources Corp., August 24, 8 p. [Also available at URL http://www.canmine.com/projects.htm].

Donner Minerals Limited, 1999a, News release—[Option agreement with Falconbridge Limited]: Vancouver, British Columbia, Donner Minerals Limited press release, February 23, 2 p. plus map.

———1999c, News release—[Lac Rocher field program]: Vancouver, British Columbia, Donner Minerals Limited press release, June 21, 1 p.

Falconbridge Limited, 1999, Annual report—1998: Toronto, Ontario, 53 p.

Northern Miner, 1999a, Hopes dim at Lac Rocher: Northern Miner, v. 85, no. 15, June 7-13, p. 3.

———1999b, Nuinsco options new ground: Northern Miner, v. 85, no. 21, July 19-25, p. 16.

——1999c, Nuinsco drills at Lac Rocher: Northern Miner, v. 85, no. 28, September 6-12, p. 14.

## ${\bf TABLE~1}$ CONSUMPTION OF NICKEL (EXCLUSIVE OF SCRAP), BY FORM AND USE $\ 1/$

(Metric tons, nickel content)

	Cathodes,		Oxide-sinter,			
	pellets,		salts, and		Total	
	briquets, and		other		year to	
Period	powder	Ferronickel	forms	Total	date	
1998:	_					
June	6,890 r/	1,080	397	8,370 r/	52,500 r	
July	6,710	1,400	455	8,570	61,000 r	
August	6,290	1,130	446	7,870	68,900 r	
September	6,490	924	455 r/	7,870 r/	76,800 r	
October	6,850	999	553	8,400	85,200 r	
November	5,910	1,050	490	7,450	92,600 r	
December	6,000	1,140	650	7,790	100,000 r	
January-December	81,400 r/	13,700	5,290 r/	100,000 r/	XX	
1999:	_					
January	6,310	987	399	7,700	7,700	
February	6,540 r/	824	669	8,030 r/	15,700 r	
March	7,820	487	812	9,120	24,800 r	
April	7,670 r/	845	602	9,120 r/	34,000 r	
May	8,100 r/	1,150	692	9,940 r/	43,900 r	
June:	_					
Steel:	=					
Stainless and heat resisting	3,030	1,190	W	4,210	23,300	
Alloy (excludes stainless)	392	W	W	392	3,220	
Superalloys	1,490		W	1,490	8,350	
Copper-nickel alloys	- W			W	W	
Electrical, magnetic, and	<del>-</del>					
expansion alloys	47			47	216	
Other nickel & nickel alloys	1,130		W	1,130	5,340	
Cast iron	W			W	W	
Electroplating (sales to platers)	1,190		W	1,190	6,940	
Chemical and chemical uses	W	W	W	W	W	
Other uses	934	8	695	1,640	6,680	
Total reported	8,210 2/	1,200	695	10,100	54,000	
Total all companies (calc) 3/	XX	XX	XX	14,900	79,800	
1999: January-June	44,600	5,490	3,870	54,000	XX	
1998: January-June	43,100	7,090	2,240	52,500	XX	

r/Revised. W Withheld to avoid disclosing company proprietary data; included in "Other uses" category. XX Not applicable.

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> Of consumption, 6,320 metric tons were consumed as cathodes and pellets, the remainder as briquets and powder.

<sup>3/</sup> Figures represent calculated apparent consumption; based on the revised proportion of reported primary consumption (67.6852%) to apparent primary consumption for 1997.

#### 

(Metric tons, nickel content)

	Cathodes, pellets, briquets, and			
Period	powder	Ferronickel	salts, and other forms	Total
1998:	•			
June	3,580	1,140	286	5,010
July	3,070	542	303	3,910
August	2,540	769	410	3,710
September	3,000	780	392	4,180
October	3,170	726	452	4,350
November	3,090	471	415	3,970
December	6,330	877	1,420	8,620
1999:				
January	5,770 r/	308	1,300	7,370
February	4,380	112	999	5,500
March	3,580	354	390	4,320
April	3,110 r/	97	322	3,530 r/
May	3,600 r/	145	311	4,060 r/
June:				
Steel (stainless, heat resisting and alloy)	1,530	110	(3/)	1,640
Nonferrous alloys 4/	2,160		(3/)	2,160
Foundry (cast irons)	(3/)		(3/)	(3/)
Chemical (catalysts, ceramics, plating				
salts, etc.) and unspecified uses	142		312	454
Total	3,830	110	312	4,250

r/ Revised.

 ${\bf TABLE~3}$  CONSUMPTION AND ENDING STOCKS OF PURCHASED SECONDARY NICKEL, BY USE  $\ 1/$ 

(Metric tons, nickel content)

		Consumption			Stocks	
	Ferrous	Nonferrous	Total	Ferrous	Nonferrous	Total
Period	scrap 2/	scrap 3/	scrap	scrap 2/	scrap 3/	scrap
1998:						
June	3,080	873	3,950	5,030	181	5,210
July	4,190	942	5,130	5,010	185	5,200
August	3,680	809	4,490	4,520	160	4,680
September	3,470	822	4,300	4,320	157	4,470
October	3,150	737	3,890	4,600	145	4,740
November	3,070	783	3,850	4,850	156	5,000
December	4,290	623	4,910	4,480	161	4,640
January-December	47,300	9,640	56,900	XX	XX	XX
1999:						
January	4,220	797	5,010	4,060	153	4,210
February	3,840	748	4,590	4,260	156	4,420
March	3,900	850	4,750	4,260	159	4,420
April	4,020	967	4,990	3,680	158	3,840
May	4,380	698	5,080	3,230	171	3,400
June	4,620	1,320	5,940	2,820	217	3,030
1999: January-June	25,000	5,380	30,400	XX	XX	XX
1998: January-June	25,400	4,920	30,300	XX	XX	XX

XX Not applicable.

- 1/ Data are rounded to three significant digits; may not add to totals shown.
- 2/ Nickel content is calculated from an average nickel content and the reported gross weight of scrap.
- 3/ Combined consumption and stocks of aluminum-base, copper-base, and nickel-base scrap.

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> Stocks held by companies that consume nickel in more than one end-use category are credited to the major category. Stocks are subject to revisions owing to inventory adjustment.

<sup>3/</sup> Included in the "Chemical and unspecified uses" category.

<sup>4/</sup> Includes superalloys, nickel-copper and copper-nickel alloys, permanent magnet alloys, and other nickel alloys.

## ${\bf TABLE~4} \\ {\bf U.S.~IMPORTS~FOR~CONSUMPTION~OF~NICKEL,~BY~COUNTRY~1/} \\$

(Metric tons, nickel content 2/)

				Metal-						
	Cathodes,	Powder		lurgical-	Waste	Stainless			Total	
Period and country	pellets, and	and	Ferro-	grade	and	steel			year to	Wrough
of origin	briquets	flakes	nickel	oxide	scrap	scrap	Chemicals	Total 3/	date 4/	nickel
1998:	_									
May	10,900	769	1,320	5	306	278	248	13,800	74,000	48
June	13,100	1,150	1,440	27	323	238	264	16,500	90,500	40
July	5,870	664 5/	983		327	1,420	250	9,510	100,000	66
August	7,550	734	708	235	325	186	188	9,930	110,000	73
September	9,560	577	1,330	401	271	266	258	12,700	123,000	66
October	11,100	1,100	741	495	273	213	271	14,200	137,000	50
November	7,850 5/	616	999	433	300	174	228	10,600	147,000	121
December	6,710	774	296	500	315	169	321	9,080	156,000	84
January-December	120,000	9,850	12,800	2,140	4,210	4,290	3,140	156,000	XX	819
1999:	-									
January	9,930	697	1,230	185	281	160	181	12,700	12,700	83
February	6,540	783	1,440	302	265	211	240	9,780	22,400	23
March	10,600	926	836	366	394	178	235	13,500	36,000	78
April	6,230	769	1,150	306	414	181	302	9,350	45,300	103
May:	-									
Australia	1,180							1,180	4,290	
Brazil	56							56	984	
Canada	4,430	431		224	91	177	1	5,350	27,600	2
Colombia	- · · ·								717	
Dominican Republic			462			1		463	1,590	
Finland	217	67					62	346	2,220	
France	156				101		8	265	1,270	4
Germany	3	(6/)			47	1	9	60	270	60
Japan		(6/)			11		49	60	444	9
Mexico					7	121	2	130	519	3
New Caledonia			398					398	3,220	
Norway	2,360				9			2,370	7,720	
Russia	1,340	36						1,380	4,900	
South Africa	- /								43	
United Kingdom	19	30			101		1	151	597	
Zimbabwe	76							76	500	
Other	72	10		8	61	1	58	211	918	3
Total	9,920	575	860	231	428	303	190	12,500	57,800	80
1999: January-May	43,200	3,750	5,520	1,390	1,780	1,030	1,150	57,800	XX	367
1998: January-May	58,300	4,230	6,340	45	2,080	1,620	1,360	74,000	XX	320
VV Not and books	20,200	1,200	0,5 10	1.0	2,000	1,020	1,500	7 1,000	21/1	320

XX Not applicable.

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> The nickel contents are assumed to be as follows: metallurgical-grade oxide (77%), waste and scrap (50%), and stainless steel scrap (7.5%). The chemical category includes chlorides (25%), sulfates (22%), and other salts (22%), supported catalysts (22%), and oxide, sesquioxide and hydroxide (65%).

<sup>3/</sup> Excludes wrought nickel.

<sup>4/</sup> May include revisions for prior months.

<sup>5/</sup> All or part of these data have been referred to the Bureau of the Census for verification.

<sup>6/</sup> Less than 1/2 unit.

#### TABLE 5 U.S. EXPORTS OF NICKEL, BY COUNTRY 1/

(Metric tons, nickel content 2/)

Period and country	Cathodes, pellets, and	Powder and	Ferro-	Metal- lurgical- grade	Waste and	Stainless steel			Total year to	Wrought
of destination	briquets	flakes	nickel	oxide	scrap	scrap	Chemicals	Total 3/	date	nickel
1998:	•				· ·	1				
May	72	150	8	55	1,230	1,300	452	3,270	17,700	175
June	269	72	2	98	635	2,720	207	4,000	21,700	190
July	- 33	48		132	996	1,710	265	3,180	24,900	69
August	- 69	61		116	1,080	2,440	356	4,120	29,000	65
September	104	85	1	111	971	1,270	336	2,870	31,900	80
October	142	95		138	1,060	1,940	235	3,610	35,500	127
November	38	108	1	158	1,300	1,040	156	2,800	38,300	39
December	217	90	1	96	1,120	3,340	367	5,230	43,500	77
' January-December	1,210	1,080	918	1,230	12,700	22,400	4,010	43,500	XX	991
1999:	_									
January	93	60		100	615	787	337	1,990	1,990	149
February	- 11	93	3	168	812	1,010	337	2,440	4,430	59
March	36	90	1	105	958	1,850	460	3,500	7,930	63
April	15	69	1	161	989	2,070	334	3,640	11,600	77
May:	-									
Australia							(4/)	(4/)	17	
Belgium		4			100			104	306	(4/)
Canada		17		102	603	147	25	894	5,230	14
Germany		5			48	1	3	57	329	4
India		1				14		15	97	1
Italy		1					4	5	11	(4/)
Japan		1			66	26	286	379	1,210	1
Korea, Republic of		1				769	33	803	2,220	
Mexico	56	3				14	53	126	469	24
Netherlands		1			29	1	9	40	137	
South Africa						78	1	79	427	
Spain									1,560	
Sweden		4			62	4		70	121	
Taiwan						473	33	506	1,740	
United Kingdom		2		(4/)	8	58	10	78	171	4
Other	22	4		(4/)	4	16	66	112	806	73
Total	78	44		102	920	1,600	523	3,270	14,800	121
1999: January-May	232	357	4	638	4,300	7,320	1,990	14,800	XX	468
1998: January-May	334	515	913	383	5,540	7,910	2,090	17,700	XX	346

XX Not applicable.

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.
2/ The nickel contents are assumed to be as follows: metallurgical-grade oxide (77%), waste and scrap (50%), and stainless steel scrap (7.5%). The chemical category includes chlorides (25%), sulfates (22%), and other salts (22%), supported catalysts (22%), and oxide, sesquioxide and hydroxide (65%).

<sup>3/</sup> Excludes wrought nickel.

<sup>4/</sup> Less than 1/2 unit.

## ${\bf TABLE~6} \\ {\bf U.s.~imports~for~consumption~of~nickel~alloys,~by~country~} ~1/$

(Metric tons, gross weight )

	Unwrought	Bars, rods,		Plates		Tubes	Other		Total
Period and country	alloyed	and		and		and	alloyed		year to
of origin	ingot	profiles	Wire	sheets	Foil	pipes	articles	Total	date
1998:	_								
May	156	159	364	216	2	74	104	1,080	5,300
June	240	232	377	88	2	120	70	1,130	6,430
July	195	173	307	166	(2/)	138	66	1,050	7,480
August	169	139	279	168	1	69	25	851	8,330
September	230	129	284	124	9	84	49	910	9,240
October	207	121	228	117		130	41	844	10,100
November	228	130	331	185		150	41	1,070	11,100
December	130	276	261	189		112	16	984	12,100
January-December	2,250	2,140	3,710	1,860	19	1,600	559	12,100	XX
1999:									
January	239	188	277	166		120	38	1,030	1,030
February	198	253	339	172	1	37	48	1,050	2,080
March		311	427	200	2	135	79	1,440	3,520
April	265	222	344	137	2	33	72	1,070	4,590
May:									
Australia	81							81	427
Belgium	11			(2/)				12	89
Canada	38		2			4	12	57	226
France		1	113	6		(2/)	(2/)	120	595
Germany	43	94	67	226		98	6	534	1,920
Italy		52	3				(2/)	56	450
Japan			(2/)	3	(2/)	109	3	116	245
Mexico							3	3	30
Netherlands						15	13	27	129
South Africa								37	214
Sweden			152	7		4		164	838
United Kingdom	38	26	1	(2/)		14	1	80	564
Other	(2/)	(2/)	10		(2/)	(2/)	37	47	202
Total	248	174	348	242	(2/)	244	75	1,330	5,920
1999: January-May	1,240	1,150	1,730	917	5	568	312	5,920	XX
1998: January-May	848	938	1,640	820	7	796	251	5,300	XX

XX Not applicable.

<sup>1/</sup> Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> Less than 1/2 unit.

### TABLE 7 U.S. EXPORTS OF NICKEL ALLOYS, BY COUNTRY 1/

(Metric tons, gross weight )

Unwrought	Bars, rods,		Plates		Tubes	Other		Total
alloyed	and		and		and	alloyed		year to
ingot	profiles	Wire	sheets	Foil	pipes	articles	Total	date
552	317	380	921	2	124	274	2,570	11,400
476	256	206	767	7	105	259	2,080	13,400
633	293	186	691	16	102	327	2,250	15,700
462	356	143	898	11	77	260	2,210	17,900
492	301	196	804	4	158	210	2,170	20,100
559	373	167	732	6	134	232	2,210	22,300
460	313	140	661	7	61	150	1,790	24,100
577	456	171	472	1	56	218	1,950	26,000
5,970	4,150	2,500	9,100	94	1,160	3,040	26,000	XX
_								
573	264	170	575	14	104	655	2,360	2,360
1,090	370	129	723	6	103	263	2,680	5,040
896	496	163	688	7	48	206	2,500	7,540
910	349	168	688	72	72	266	2,530	10,100
-							·	-
	(2/)	1	5			4	10	101
2	91	4	36		1		134	216
- 11	38	19	43	1	40	29	181	989
473	39	(2/)	6		1	35	554	3,850
(2/)	38	2	32	(2/)	1	1	74	443
	1	(2/)				(2/)	2	8
		67				1	68	139
23	2	1	123		(2/)	(2/)	149	543
2	10	1	144		1	12	170	1,280
1	2	1	28	(2/)	(2/)	12	44	491
5	15	38	1	1	1	26	87	470
		(2/)	2			(2/)	2	464
1	2	1	(2/)		(2/)	3	7	108
					1	(2/)	2	19
(2/)			11	(2/)	(2/)		11	46
(2/)	5	(2/)	48		(2/)	8	61	249
(2/)	2	(2/)	2		12	3	19	159
20	136	40	127	(2/)	2	3	328	1,510
7	15	6	6	1	3	56	93	980
545	396	181	614	3	63	193	2,000	12,100
		811		101	390		12,100	XX
2,310	1,800			41	472	1,380	11,400	XX
	alloyed ingot  552 476 633 462 492 559 460 577 5,970  573 1,090 896 910  2 11 473 (2/) 23 23 2 1 55 1 (2/) (2/) (2/) (2/) (2/) (2/) 20 7 545	alloyed ingot and profiles    552	alloyed ingot profiles Wire    552	alloyed ingot         and profiles         Wire         and sheets           552         317         380         921           476         256         206         767           633         293         186         691           462         356         143         898           492         301         196         804           559         373         167         732           460         313         140         661           577         456         171         472           5,970         4,150         2,500         9,100           573         264         170         575           1,090         370         129         723           896         496         163         688           910         349         168         688            (2/)         1         5           2         91         4         36           11         38         19         43           473         39         (2/)         6           (2/)         38         2         32           -         1         (2/)	alloyed ingot         and profiles         Wire         sheets         Foil           552         317         380         921         2           476         256         206         767         7           633         293         186         691         16           462         356         143         898         11           492         301         196         804         4           559         373         167         732         6           460         313         140         661         7           577         456         171         472         1           5,970         4,150         2,500         9,100         94           573         264         170         575         14           1,090         370         129         723         6           896         496         163         688         7           910         349         168         688         72	alloyed ingot         and profiles         Wire         and sheets         Foil         and pipes           552         317         380         921         2         124           476         256         206         767         7         105           633         293         186         691         16         102           462         356         143         898         11         77           492         301         196         804         4         158           559         373         167         732         6         134           460         313         140         661         7         61           577         456         171         472         1         56           5,970         4,150         2,500         9,100         94         1,160           573         264         170         575         14         104           1,090         370         129         723         6         103           896         496         163         688         72         72	alloyed ingot         and profiles         Wire         sheets         Foil         and pipes         alloyed articles           552         317         380         921         2         124         274           476         256         206         767         7         105         259           633         293         186         691         16         102         327           462         3356         143         898         11         77         260           492         301         196         804         4         158         210           559         373         167         732         6         134         232           460         313         140         661         7         61         150           577         456         171         472         1         56         218           5970         4,150         2,500         9,100         94         1,160         3,040           573         264         170         575         14         104         655           1,090         370         129         723         6         103         263	alloyed ingot   and profiles   Wire   sheets   Foil   and pipes   articles   Total

XX Not applicable.

1/ Data are rounded to three significant digits; may not add to totals shown.

<sup>2/</sup> Less than 1/2 unit.

 ${\bf TABLE~8}$  NICKEL CONSUMPTION IN CAST AND WROUGHT PRODUCTS

	Percent		
	Wrought	Cast	
June 1999:			
Stainless and heat resisting steels	88	12	
Alloy steels	90	10	
Superalloys	85	15	
Copper-nickel alloys	100	(1/)	
Other nickel-base alloys	100	(1/)	

<sup>1/</sup> Less than 1/2 unit.

TABLE 9 NICKEL PRICES

	Cathode NY Dealer	LME Cash	LME Cash	18/8 Stainless steel scrap Pittsburgh
999:	\$/lb.	\$/t	\$/lb.	\$/long ton(gw)
Average for month of:				
May	2.500	5,399.342	2.449	570
June	2.343	5,195.000	2.356	620
July	2.568	5,700.114	2.586	620
Average for week ending:				
May 7	2.53-2.57	5,467.500	2.480	560-580
May 14	2.54-2.60	5,498.000	2.494	560-580
May 21	2.53-2.58	5,443.500	2.469	560-580
May 28	2.40-2.55	5,202.000	2.360	560-580
June 4	2.22-2.42	4,837.500	2.194	610-630
June 11	2.27-2.38	4,991.500	2.264	610-630
June 18	2.38-2.46	5,236.000	2.375	610-630
June 25	2.50-2.57	5,439.000	2.467	610-630
July 2	2.55-2.66	5,517.000	2.502	610-630
July 9	2.46-2.75	5,607.000	2.543	610-630
July 16	2.70-2.74	5,837.500	2.648	610-630
July 23	2.58-2.72	5,696.000	2.584	610-630
July 30	2.55-2.62	5,744.500	2.606	610-630

Source: Platt's Metals Week and American Metal Market.

## 1996-99 AVERAGE MONTHLY PRICES

(Derived from Metals Week and American Metal Market quotations)





